




JOINT SOLUTION

1U or 2U Chassis Solution

High Density - TAP 12 Individual 1G links in a 2U Space




Chassis Options:					
Part Number	Description				
M1G1ACE	1U; up to 4 TAPs - Dual Internal AC Power Supplies				
M1G1DCE	1U; up to 4 TAPs - Dual Internal DC Power Supplies				
M1G2ACE	M1G2ACE 2U; up to 12 TAPs - Dual Internal AC Power Supplies				
M1G2DCE	M1G2DCE 2U; up to 12 TAPs - Dual Internal DC Power Supplies				
M1GC*	Management card: Ethernet/GUI - and - Serial/CLI for M1GxxxE				

Bypass TAP options

Model #	Network Speed	Media		Modes					Packet	Packet
		Network	Monitor	Breakout	Aggregation	Regenera- tion/ SPAN	Filtering	Bypass	Injection Support	Slicing
									(in Aggregation mode)	
M1GCCBP	100/1000M	2 Copper-RJ45	2 Copper-RJ45	Х	Х	Х	N/A	Х	Yes	Yes
M1GCSBP	100/1000M	2 Copper-RJ45	2 SFP	Х	Х	Х	N/A	Х	Yes	Yes
M1GMCBP	1G	2 SX Multi-mode, passive LC-Fiber	2 Copper-RJ45	Х	Х	Х	N/A	Х	Yes	Yes
M1GMSBP	1G	2 SX Multi-mode, passive LC-Fiber	2 SFP	Х	Х	Х	N/A	Х	Yes	Yes
M1GSCBP	1G	2 LX Single-mode, passive LC-Fiber	2 Copper-RJ45	Х	Х	Х	N/A	Х	Yes	Yes
M1GSSBP	1G	2 LX Single-mode, passive LC-Fiber	2 SFP	Х	Х	Х	N/A	Х	Yes	Yes

A Best Practice Guide

For deploying and managing your in-line appliances.




TAP vendor?

To ensure 100% uptime and visibility for active in-band security appliances.

Network Bypass TAPs have a variety of features, including the ability to go from breakout, aggregating, regenerating and bypass modes meeting your needs today and tomorrow.

GARLAND

See every bit, byte, and packet



This document is for informational purposes only. The information in this document, believed by Garland Technology to be accurate as of the date of publication, is subject to change without notice. Garland Technology assumes no responsibility for any errors or omissions in this document and shall have no obligation to you as a result of having made this document available to you or based upon the information it contains. ©2017 Garland Technology LLC. All Rights Reserved

Bypass Mode: Active In-Line

1

t

In-Line Appliance Bypass Mode: Off-Line

Out-of-band Ap